

Table of Contents

Introduction	1
Chapter 1. Addictions	
<i>Highlights</i>	3
Men Are More Likely than Women to Smoke	4
Health Professionals Are Advising Smokers to Quit	9
By 12th Grade, Most Teens Have Tried Cigarettes	11
Drinking Varies by Demographics	14
Most High School Students Have Tried Alcohol	19
Marijuana Is the Most Commonly Used Illicit Drug	22
Twenty Percent of High School Students Have Smoked Pot	26
Teen Drug Use Increased in the Past Decade	29
Most Addicts Do Not Get the Treatment They Need	32
Chapter 2. Aging	
<i>Highlights</i>	37
Women Are More Likely to Get Nipped and Tucked	38
Twenty-One Percent of Adults Are Caregivers	41
Demand for Assisted-Living Facilities Is Likely to Grow	46
Most Nursing Home Resident Are Older Women	49
Chapter 3. Alternative Medicine	
<i>Highlights</i>	53
Most Americans Have Used Some Type of Alternative Therapy	54
Alternative Therapies Are Most Commonly Used for Back Problems	65
Chapter 4. Attitudes toward Health Care	
<i>Highlights</i>	69
Fewer Americans Have Confidence in the Medical Community	70
Most People Say Their Health Is Good or Excellent	74
Inability to Pay for Health Care Is a Problem for Many	79
Many Patients Want More Time with Health Care Providers	81
Most Patients Say Providers Always Explain, Listen, and Show Respect	86
Americans Rate Their Health Care Provider Highly	93
Most Americans Get Some Health Information Online	96
Americans Have Mixed Feelings about Quality of Health Care Coverage	99
Americans Worry about Paying for Health Care Costs	102
Chapter 5. Births	
<i>Highlights</i>	115
Only 63 Percent of Pregnancies Result in Live Births	116
Many Americans Support Abortion Rights	119
More Women Are Childless	128
The Birth Rate Has Risen Since the Late 1990s	132
More than One Million Women Had Their First Baby in 2002	135
More than One-Third of Newborns Are Hispanic or Black	137
Thirty-Four Percent of Births Are to Unmarried Women	140
Delayed Childbearing Can Lead to Difficulties	142
Less-Educated Women Take Risks during Pregnancy	147
Chapter 6. Health Care Coverage and Cost	
<i>Highlights</i>	153
Health Care Costs Have Grown Rapidly	154
Americans Are Less Likely to Have Employment-Based Health Insurance Coverage	162

Hispanics Are Most Likely to Be Uninsured	166
Cost Is the Primary Reason for Being Uninsured	170
Most Children Get Health Insurance through a Family Member’s Employment	172
Service Workers Are Least Likely to Have Health Insurance	176
Health Care Spending Rises with Age	180
Nineteen Percent of Health Care Costs Are Paid for Out-of-Pocket	189
Insurance Covers Most of the Cost of Physician Visits	191
Insurance Payments Cover Nearly All Hospital Inpatient Expenses	193
Older Adults Pay the Most for Prescription Drugs	197
Eyeglasses and Contact Lenses Usually Are Not Covered by Insurance	199
Nearly Half the Cost of Dental Visits Is Paid for Out-of-Pocket	202
Few Patients See Physician’s Assistants	205
Medicaid Rolls Are Growing	211

Chapter 7. Deaths

<i>Highlights</i>	215
Skilled Nursing Care Is a Key Component of Hospice Services	216
Most People Believe in the “Right to Die”	220
Leading Causes of Death Differ by Sex, Race, and Hispanic Origin	222
Heart Disease Is the Leading Killer of the Oldest Adults	229
Accidents Are the Primary Cause of Death among the Young	232
Accidental Deaths Become Less Common with Age	237
The Oldest Adults Die from a Wide Variety of Causes	242
Americans Are Living Longer	246

Chapter 8. Disability

<i>Highlights</i>	249
Older Women Are Most Likely to Be Disabled	250
Disability Rates Vary by Demographic Characteristic	252
Chronic Health Conditions Often Limit Activities	258
Many Medicaid Recipients Cannot Work	262

Chapter 9. Diseases and Conditions

<i>Highlights</i>	265
The Most Serious Diseases Are More Common among the Elderly	266
Biological Differences between Men and Women Are behind Disease Patterns	270
Disease Prevalence Is Higher among Non-Hispanic Whites and Blacks	274
Low Incomes Are Related to Health Problems	278
Higher Education Is Linked to Better Health	282
Hypertension Rate Has Risen	286
Prevalence of High Cholesterol Is Declining	290
AIDS Hits Minorities Hard	297
Most Children Receive Recommended Vaccinations	300
Children’s Health Problems Vary by Age, Sex, Race	302
Prescription Drug Use Is Increasing	306
Some Health Conditions Are More Costly than Others	309

Chapter 10. Health Care Visits

<i>Highlights</i>	321
Four Out of Five Health Care Visits Are to Physicians’ Offices	322
Women Are More Likely than Men to Visit Health Care Providers	326
Teenagers Are Least Likely to Visit a Doctor Frequently	331
Most People Think Highly of Their Physician	336
Women Seek Health Care More Often than Men	339
Preventive Care Visits Are Most Common among the Young	342
Nearly Half of Office Visits include a Blood Pressure Reading	347
Most Doctor Visits Last Less than Fifteen Minutes	351
Most Patients Prefer to See a Doctor	354
Drugs Are Prescribed More Often than Lifestyle Change	356

More than One Million Americans Receive Home Health Care	361
Most People See a Dentist Regularly	363
Chapter 11. Hospital Care	
<i>Highlights</i>	369
Big Differences in the Use of Hospital Outpatient Services	370
Acute Health Problems Are the Most Common Reason for Visiting a Hospital Outpatient Department	373
Emergency Room Visits Rise Sharply after Age 74	380
ER Visits by Older Adults Are Most Likely to Be Extremely Urgent	383
Older Adults Are Far More Likely to Need Hospitalization	389
The Oldest Account for the Largest Share of Hospitalizations	392
Heart Disease Is Most Likely to Lead to Hospitalization	397
Hospitals Provide a Wide Variety of Services	402
Chapter 12. Mental Health	
<i>Highlights</i>	409
More than One in Five Adults Have a Mental Disorder	410
Women Are More Likely to Report Mental Health Problems	415
Income Is Linked to Mental Health Problems	422
One in Five High School Girls Has Considered Suicide	427
Nine Percent of Adults Have Had a Serious Mental Illness	429
Chapter 13. Sexual Attitudes and Behavior	
<i>Highlights</i>	433
Americans Have Increasingly “Liberal” Attitudes toward Sex	434
Most Teenagers Think Anything Goes between Consenting Adults	438
Some Teenagers Are More Likely than Others to Have Sex	441
Younger Teens Are Less Likely to Use Contraception	444
Most Adults Have Had Only One Sex Partner in the Past Year	447
Birth Control Pill Is First Choice for Contraception	449
Chapter 14. Weight and Exercise	
<i>Highlights</i>	455
Shifts in Eating Habits Reflect Fads and Findings	456
Few Americans Are at a Healthy Weight	459
Four Decades of Overeating Tips the Scales	461
Most Americans Are Overweight	464
Boys Are More Likely than Girls to Be Overweight	468
Most Adults Want to Lose Weight	472
Americans Do Not Get Enough Exercise	475
Sports Participation Is Declining	478
Most Children Engage in Free-Time Physical Activities	481
Glossary	485
Bibliography	494
Index	497

List of Tables

Chapter 1. Addictions

1.1	Cigarette Smoking Status of People Aged 18 or Older by Selected Characteristics, 2002	5
1.2	Percent Distribution of People Aged 18 or Older by Cigarette Smoking Status, 2002	6
1.3	Current Cigarette Smokers by Selected Characteristics, 2003	7
1.4	Cigarette Smoking by People Aged 12 or Older, 2003	8
1.5	Advised to Quit Smoking during Routine Health Check-Up, 2001	10
1.6	Tobacco Use among 9th to 12th Graders by Sex, 2003	12
1.7	Attitudes toward Cigarette Smoking by 8th, 10th, and 12th Graders, 1993 and 2003	13
1.8	Alcohol Drinking Status of People Aged 18 or Older by Selected Characteristics, 2002	15
1.9	Percent Distribution of People Aged 18 or Older by Alcohol Drinking Status, 2002	16
1.10	Alcohol Use by Selected Characteristics, 2003	17
1.11	Alcohol Use by People Aged 12 or Older, 2003	18
1.12	Alcohol Use by 9th to 12th Graders by Sex, 2003	20
1.13	Attitudes toward Drinking by 8th, 10th, and 12th Graders, 1993 and 2003	21
1.14	Illicit Drug Use by People Aged 12 or Older, 2003	23
1.15	Illicit Drug Use by Type of Drug and Age, 2003	24
1.16	Lifetime Marijuana Use by People Aged 12 to 25, 1965 to 2002	27
1.17	Marijuana Use by 9th to 12th Graders by Sex, 2003	28
1.18	Drug Use by 8th, 10th, and 12th Graders, 1993 and 2003	30
1.19	Attitudes toward Drug Use by 12th Graders, 1993 and 2003	31
1.20	Treatment for Drug or Alcohol Problems in Past Year, 2003	33
1.21	Clients in Drug or Alcohol Treatment Facilities by Type of Care Received, 2003	34

Chapter 2. Aging

2.1	Cosmetic Surgery by Sex, 2003	39
2.2	Cosmetic Surgery by Age, 2003	40
2.3	Caregivers by Demographic Characteristic, 2003	42
2.4	Assistance Provided by Caregivers, 2003	43
2.5	Caregivers by Recipient's Relationship to Them, 2003	44
2.6	Caregivers by Main Problem with Care Recipient, 2003	45
2.7	Assisted Living Facilities and Residents, 2000	47
2.8	Nursing Home Residents by Sex and Race, 1999	50
2.9	Nursing Home Residents by Functional Status, 1999	51

Chapter 3. Alternative Medicine

3.1	Users of Alternative and Complementary Medicine by Sex, 2002	55
3.2	Users of Alternative and Complementary Medicine by Age, 2002	56
3.3	Users of Alternative and Complementary Medicine by Race and Hispanic Origin, 2002	57
3.4	Users of Alternative and Complementary Medicine by Education, 2002	58
3.5	Users of Alternative and Complementary Medicine by Household Income, 2002	59
3.6	Users of Alternative and Complementary Medicine by Region, 2002	60
3.7	Users of Alternative and Complementary Medicine by Health Insurance Status, 2002	61
3.8	Users of Alternative and Complementary Medicine by Drinking and Smoking Status, 2002	62
3.9	Users of Alternative and Complementary Medicine by Hospitalization Status, 2002	63
3.10	Users of Alternative and Complementary Medicine by Type of Therapy, 2002	64
3.11	Alternative Medicine Use by Disease or Condition, 2002	66
3.12	Reason for Use of Complementary and Alternative Medicine, 2002	67
3.13	Use of Natural Products by Type, 2002	68

Chapter 4. Attitudes toward Health Care

4.1	Confidence in Leaders of the Medical Community, 1973 to 2002	71
4.2	Spending on Improving the Nation's Health, 1973 to 2002	72
4.3	Should Government Help the Sick, 1975 to 2002	73
4.4	Health Status, 1972 to 2002	75

4.5	Health Status by Selected Characteristics, 2002	76
4.6	Health Status of Children by Selected Characteristics, 2002	77
4.7	Health Problems in Past 30 Days by Age, 2001	78
4.8	Families with Problems Receiving Health Care by Reason, 2001	80
4.9	Attitude toward Scheduling of Routine Health Care Appointments for Adults, 2001	82
4.10	Attitude toward Scheduling of Routine Health Care Appointments for Children, 2001	83
4.11	Health Care Provider Spent Enough Time with Adult Patient, 2001	84
4.12	Health Care Provider Spent Enough Time with Patients under Age 18 and Their Parents, 2001	85
4.13	Health Care Provider Explained Things Clearly to Adult Patient, 2001	87
4.14	Health Care Provider Explained Things Clearly to Parents of Patients under Age 18, 2001	88
4.15	Health Care Provider Listened Carefully to Adult Patient, 2001	89
4.16	Health Care Provider Listened Carefully to Parents of Patients under Age 18, 2001	90
4.17	Health Care Provider Showed Respect for What Adult Patient Had to Say, 2001	91
4.18	Health Care Provider Showed Respect for What Parents of Patients under age 18 Had to Say, 2001	92
4.19	Adult Patients' Rating of Health Care Received from Doctor's Office or Clinic, 2001	94
4.20	Parents' Rating of Health Care Received by Children at Doctor's Office or Clinic, 2001	95
4.21	Searching for Health Information Online, 2003	97
4.22	Online Purchasing of Prescription Drugs, 2004	98
4.23	Attitudes toward National and Personal Health Care, 2004	100
4.24	Health Insurance Coverage by Type, 2003	101
4.25	Description of Health Insurance Coverage, 2003	103
4.26	Letter Grade for Health Insurance Plan, 2003	104
4.27	Out-of-Pocket Health Care Expenses in Past 12 Months, 2003	105
4.28	Most Important Reason to Have Health Insurance, 2003	106
4.29	Problems with Health Insurance, 2003	107
4.30	Worries about Health Insurance, 2003	108
4.31	What Is Important in a Health Insurance Plan? 2003	110
4.32	Well Protected by Health Insurance Plan? 2003	111
4.33	How Much Would You Pay for Health Insurance? 2003	112
4.34	Health Insurance or Higher Wages? 2003	113

Chapter 5. Births

5.1	Pregnancy Outcomes by Age, 2000	117
5.2	Pregnancy Outcomes by Race and Hispanic Origin, 2000	118
5.3	Abortions, 1980 to 2001	120
5.4	Abortion for Any Reason, 1977 to 2002	121
5.5	Abortion if Chance of Serious Defect in Baby, 1972 to 2002	122
5.6	Abortion if Woman's Health Is Seriously Endangered, 1972 to 2002	123
5.7	Abortion in Case of Rape, 1972 to 2002	124
5.8	Abortion if a Woman Is Unmarried, 1972 to 2002	125
5.9	Abortion if Married Woman Wants No More Children, 1972 to 2002	126
5.10	Abortion if Low-Income Woman Cannot Afford More Children, 1972 to 2002	127
5.11	Childless Women by Age, 1960 to 2002	129
5.12	Childless Women Aged 15 to 44 by Selected Characteristics, 2002	130
5.13	Number of Children Born to Women Aged 15 to 44, 2002	131
5.14	Average Age of Mother by Race and Hispanic Origin, 2000	133
5.15	Birth Rates by Age of Mother, 1990 to 2003	134
5.16	Characteristics of Women Aged 15 to 44 Giving Birth in the Past Year, 2002	136
5.17	Births by Age, Race, and Hispanic Origin, 2003	138
5.18	Births to Hispanics by Age and Hispanic Origin, 2002	139
5.19	Births to Unmarried Women by Age, Race, and Hispanic Origin of Mother, 2002	141
5.20	Births by Age and Birth Order, 2003	143
5.21	Births by Age and Educational Attainment of Mother, 2002	144
5.22	Births by Age of Mother and Method of Delivery, 2002	145
5.23	Births by Age and Plurality, 2002	146
5.24	Births by Selected Characteristics, Race, and Hispanic Origin, 2002	148
5.25	Births to Hispanics by Selected Characteristics and Hispanic Origin, 2002	149
5.26	Births to Asians by Selected Characteristics and Asian Origin, 2002	150
5.27	Births with Selected Congenital Anomalies, 2002	151

Chapter 6. Health Care Coverage and Cost

6.1	National Health Care Expenditures, 1960 to 2002	155
6.2	National Health Care Expenditures by Type of Expenditure, 1960 and 2002	156
6.3	Trends in Public vs. Private Funding of National Health Care, 1965 to 2002	157
6.4	Personal Health Care Expenditures, 1960 to 2002	158
6.5	Out-of-Pocket Payments for Personal Health Care Expenditures, 1960 to 2002	159
6.6	Consumer Price Index for Health Care by Type of Product or Service, 2003	160
6.7	Health Care Spending by Country, 2001	161
6.8	Health Insurance Coverage by Type, 1987 to 2003	163
6.9	People with Employment-Based Private Health Insurance by Age, 1984 and 2002	164
6.10	People without Health Insurance by Age, 1987 and 2003	165
6.11	Health Insurance Coverage by Age, 2003	176
6.12	Health Insurance Coverage by Sex, 2003	168
6.13	Health Insurance Coverage by Race and Hispanic Origin, 2003	169
6.14	Reason for Lack of Health Insurance Coverage, 2002	171
6.15	Health Insurance Coverage of Children, 2003	173
6.16	Children without Health Insurance, 2003	175
6.17	Health Care Benefits in Private Industry, 2004	177
6.18	Employee Contributions for Health Care Coverage in Private Industry, 2004	178
6.19	Retiree Health Care Benefits in Private Industry, 2004	179
6.20	Out-of-Pocket Spending on Health Care, 2003: Average Household Spending by Age of Householder	181
6.21	Out-of-Pocket Spending on Health Care, 2003: Indexed Household Spending by Age of Householder	183
6.22	Out-of-Pocket Spending on Health Care, 2003: Total Spending by Age of Householder	185
6.23	Out-of-Pocket Spending on Health Care, 2003: Market Shares by Age of Householder	187
6.24	Total Spending on All Health Services by Selected Characteristics, 2002	190
6.25	Spending on Physician Visits by Selected Characteristics, 2002	192
6.26	Spending on Hospital Inpatient Services by Selected Characteristics, 2002	194
6.27	Spending on Hospital Outpatient Services by Selected Characteristics, 2002	195
6.28	Spending on Emergency Room Services by Selected Characteristics, 2002	196
6.29	Spending on Prescription Drugs by Selected Characteristics, 2002	198
6.30	Spending on Optometrist Office Visits by Selected Characteristics, 2002	200
6.31	Spending on Vision Aids by Selected Characteristics, 2002	201
6.32	Spending on Visits on General Dentists by Selected Characteristics, 2002	203
6.33	Spending on Orthodontic Office Visits by Selected Characteristics, 2002	204
6.34	Spending on Home Health Care Services by Selected Characteristics, 2002	206
6.35	Spending on Visits to Nurses or Nurse Practitioners by Selected Characteristics, 2002	207
6.36	Spending on Physician's Assistant Visits by Selected Characteristics, 2002	208
6.37	Spending on Chiropractic Office Visits by Selected Characteristics, 2002	209
6.38	Spending on Physical Therapist Visits by Selected Characteristics, 2002	210
6.39	Medicare and Medicaid Expenses by Type of Service, 2001	212
6.40	Medicaid Coverage among People under Age 65, 1984 and 2002	213
6.41	Medicaid Recipients by Type of Service, 2001	214

Chapter 7. Deaths

7.1	Hospice Discharges by Selected Characteristics, 2000	217
7.2	Hospice Care Discharges by Primary Diagnosis and Functional Status, 2000	218
7.3	Hospice Care Discharges by Services Received and Type of Provider, 2000	219
7.4	Suicide If Person Has an Incurable Disease, 1977 to 2002	221
7.5	Leading Causes of Death, 2002	223
7.6	Leading Causes of Death among Females, 2002	224
7.7	Leading Causes of Death among Males, 2002	225
7.8	Leading Causes of Death among Blacks, 2002	226
7.9	Leading Causes of Death among Hispanics, 2002	227
7.10	Leading Causes of Death among Non-Hispanic Whites, 2002	228
7.11	Deaths from the Fifteen Leading Causes of Death, 2002	230
7.12	Leading Causes of Death for Infants, 2002	233
7.13	Leading Causes of Death for Children Aged 1 to 4, 2002	234

7.14	Leading Causes of Death for Children Aged 5 to 14, 2002	235
7.15	Leading Causes of Death for People Aged 15 to 24, 2002	236
7.16	Leading Causes of Death for People Aged 25 to 34, 2002	238
7.17	Leading Causes of Death for People Aged 35 to 44, 2002	239
7.18	Leading Causes of Death for People Aged 45 to 54, 2002	240
7.19	Leading Causes of Death for People Aged 55 to 64, 2002	241
7.20	Leading Causes of Death for People Aged 65 to 74, 2002	243
7.21	Leading Causes of Death for People Aged 75 to 84, 2002	244
7.22	Leading Causes of Death for People Aged 85 or Older, 2002	245
7.23	Life Expectancy by Age, 1950 to 2002	427
7.24	Life Expectancy by Age and Sex, 2002	248

Chapter 8. Disability

8.1	Disability Status of People by Age, 2000 Census	251
8.2	Difficulties in Physical Functioning among Adults by Age, 2002	253
8.3	Difficulties in Physical Functioning among Adults by Sex, 2002	254
8.4	Difficulties in Physical Functioning among Adults by Race and Hispanic Origin, 2002	255
8.5	Difficulties in Physical Functioning among Adults by Household Income, 2002	256
8.6	Difficulties in Physical Functioning among Adults by Educational Attainment, 2002	257
8.7	Limitations in Usual Activities Due to Health Problems, 2002	259
8.8	Use of Special Equipment Due to Health Problems, 2003	260
8.9	Children Receiving Special Education or Early Intervention Services, 2002	261
8.10	Limitations in Work Activity Due to Health Problems, 2002	263
8.11	People with a Work Disability by Age and Educational Attainment, 2004	264

Chapter 9. Diseases and Conditions

9.1	Number of Health Conditions among Adults by Age, 2002	267
9.2	Percent Distribution of Health Conditions among Adults by Age, 2002	268
9.3	Percent of Adults with Health Conditions by Age, 2002	269
9.4	Number of Health Conditions among Adults by Sex, 2002	271
9.5	Percent Distribution of Health Conditions among Adults by Sex, 2002	272
9.6	Percent of Adults with Health Conditions by Sex, 2002	273
9.7	Number of Health Conditions among Adults by Race and Hispanic Origin, 2002	275
9.8	Percent Distribution of Health Conditions among Adults by Race and Hispanic Origin, 2002	276
9.9	Percent of Adults with Health Conditions by Race and Hispanic Origin, 2002	277
9.10	Number of Health Conditions among Adults by Household Income, 2002	279
9.11	Percent Distribution of Health Conditions among Adults by Household Income, 2002	280
9.12	Percent of Adults with Health Conditions by Household Income, 2002	281
9.13	Number of Health Conditions among Adults by Education, 2002	283
9.14	Percent Distribution of Health Conditions among Adults by Education, 2002	284
9.15	Percent of Adults with Health Conditions by Education, 2002	285
9.16	High Blood Pressure by Sex and Age, 1988–94 and 1999–02	287
9.17	High Blood Pressure by Race, Hispanic Origin, and Sex, 1988–94 and 1999–02	288
9.18	People with High Blood Pressure by Selected Characteristics, 2003	289
9.19	High Cholesterol by Sex and Age, 1988–94 and 1999–02	291
9.20	High Cholesterol by Race, Hispanic Origin, and Sex, 1988–94 and 1999–02	292
9.21	Cholesterol Status by Selected Characteristics, 2003	293
9.22	Diabetes by Selected Characteristics, 1988–94 and 1999–00	295
9.23	People with Diabetes by Selected Characteristics, 2003	296
9.24	AIDS Cases by Sex and Age, through December 2003	298
9.25	AIDS Cases by Sex, Race, and Hispanic Origin, through December 2003	299
9.26	Vaccinations of Children Aged 19 to 35 Months by Race and Hispanic Origin, 2003	301
9.27	Health Conditions among Children by Selected Characteristics, 2002	303
9.28	Distribution of Health Conditions by Selected Characteristics of Children, 2002	304
9.29	Percent of Children with Health Conditions by Selected Characteristics, 2002	305
9.30	Prescription Drug Use by Sex and Age, 1988–94 and 1999–00	307
9.31	Prescription Drug Use by Race, Hispanic Origin, Age, and Sex, 1999–00	308
9.32	Number of Health Events by Condition and Type of Service, 2002	310
9.33	Number of People Experiencing Health Events by Condition and Type of Service, 2002	312
9.34	Cost of Health Events by Condition and Type of Service, 2002	314

9.35	Average Expense Per Health Event, by Condition and Type of Service, 2002	316
9.36	Average Expense Per Person Experiencing Health Event, by Condition and Type of Service, 2002	318

Chapter 10. Health Care Visits

10.1	Health Care Visits by Sex, Age, and Race, 2002	323
10.2	Health Care Visits by Primary Source of Payment, 2002	325
10.3	Number of Office Visits to Health Care Professionals by Selected Characteristics, 2002	327
10.4	Percent Distribution of Office Visits to Health Care Professionals by Selected Characteristics, 2002	328
10.5	Length of Time Since Last Office Visit to a Health Care Professional by Selected Characteristics, 2002	329
10.6	Percent Distribution by Length of Time Since Last Office Visit to a Health Care Professional, 2002	330
10.7	Health Care Access for Children under Age 18 by Selected Characteristics, 2002	332
10.8	Percent of Children under Age 18 with Problems Accessing Health Care, 2002	333
10.9	Length of Time since Child's Last Office Visit to a Health Care Professional by Selected Characteristics, 2002	334
10.10	Percent Distribution of Children by Length of Time Since Child's Last Office Visit to a Health Care Professional, 2002	335
10.11	Attitudes toward Doctors, 2002	337
10.12	Physician Office Visits by Sex and Age, 2002	340
10.13	Physician Office Visits by Race and Age, 2002	341
10.14	Physician Office Visits for Preventive Care by Sex, Age, and Race, 2002	343
10.15	Physician Office Visits by Major Reason for Visit, 2002	344
10.16	Physician Office Visits by Detailed Reason for Visit, 2002	345
10.17	Physician Office Visits by Major Disease Category and Primary Diagnosis Group, 2002	346
10.18	Physician Office Visits by Services Provided, 2002	348
10.19	Physician Office Visits by Specialty and Referral Status, 2002	349
10.20	Physician Office Visits by Practice Characteristics, 2002	350
10.21	Physician Office Visits by Continuity of Care, 2002	352
10.22	Physician Office Visits by Time Spent with Physician, 2002	353
10.23	Physician Office Visits by Providers Seen and Primary Source of Payment, 2002	355
10.24	Physician Office Visits by Therapeutic Services Ordered or Provided, 2002	357
10.25	Physician Office Visits by Drug Therapy and Physician Specialty, 2002	358
10.26	Medications Prescribed during Physician Office Visits by Therapeutic Class, 2002	359
10.27	Medications Prescribed during Physician Office Visits by Drug Name, 2002	360
10.28	Home Health Care Patients, 2000	362
10.29	Dental Cleaning in Past Year by Selected Characteristics, 2002	364
10.30	Length of Time Since Last Dental Visit by Selected Characteristics, 2002	365
10.31	Percent Distribution by Length of Time Since Last Dental Visit by Selected Characteristics, 2002	366
10.32	Dental Care Access and Length of Time Since Last Dental Visit for Children under Age 18, 2002	367
10.33	Percent Distribution of Children under Age 18 by Dental Care Access and Length of Time Since Last Dental Visit, 2002	368

Chapter 11. Hospital Care

11.1	Visits to Hospital Outpatient Departments by Sex and Age, 2002	371
11.2	Visits to Hospital Outpatient Departments by Race and Age, 2002	372
11.3	Hospital Outpatient Department Visits by Major Reason for Visit, 2002	374
11.4	Visits to Hospital Outpatient Departments by Detailed Reason for Visit, 2002	375
11.5	Visits to Hospital Outpatient Departments by Primary Diagnosis, 2002	376
11.6	Visits to Hospital Outpatient Departments by Providers Seen and Primary Source of Payment, 2002	377
11.7	Visits to Hospital Outpatient Departments by Services Ordered or Provided, 2002	378
11.8	Visits to Hospital Outpatient Departments by Therapeutic Services Ordered or Provided, 2002	379
11.9	Visits to Hospital Emergency Departments by Sex and Age, 2002	381
11.10	Visits to Hospital Emergency Departments by Race and Age, 2002	382
11.11	Emergency Department Visits by Selected Characteristics and Urgency of Problem, 2002	384
11.12	Visits to Hospital Emergency Departments by Reason for Visit, 2002	385
11.13	Visits to Hospital Emergency Departments by Primary Diagnosis, 2002	386
11.14	Visits to Hospital Emergency Departments by Providers Seen and Primary Source of Payment, 2002	386

11.15	Visits to Hospital Emergency Departments by Diagnostic and Screening Services Ordered or Provided, 2002	388
11.16	People with Overnight Hospital Stays by Selected Characteristics, 2002	390
11.17	Hospital Discharges and Length of Stay, 2002	391
11.18	Number of Hospital Discharges by Diagnosis and Age, 2002	393
11.19	Percent Distribution of Hospital Discharges by Diagnosis and Age, 2002	395
11.20	Number and Rate of Discharges from Hospitals by Diagnosis, 2002	398
11.21	Length of Hospital Stay by Diagnosis, 1980 and 2002	400
11.22	Number of Hospital Discharges by Procedure and Age, 2002	403
11.23	Percent Distribution of Hospital Discharges by Procedure and Age, 2002	405
11.24	Discharges from Hospitals by Procedure, 2002	407

Chapter 12. Mental Health

12.1	Prevalence of Mental Disorders, 2001	411
12.2	Medications for People with Mental Health Problems, 2002	412
12.3	Solve Problems on Your Own or Get Advice, 2002	413
12.4	Self-Reported Mental Health and Help-Seeking Behavior by Selected Characteristics, 2004	414
12.5	Mental Health Conditions among Adults by Age, 2002	416
12.6	Mental Health Conditions among Adults by Sex, 2002	418
12.7	Mental Health Conditions among Adults by Race and Hispanic Origin, 2002	420
12.8	Mental Health Conditions among Adults by Household Income, 2002	423
12.9	Mental Health Conditions among Adults by Education, 2002	425
12.10	Suicidal Ideation among High School Students, 2003	428
12.11	Serious Mental Illness by Selected Characteristics and Age, 2003	430
12.12	Treatment for Serious Mental Illness by Selected Characteristics, 2003	431

Chapter 13. Sexual Attitudes and Behavior

13.1	Sex Education in Public Schools, 1974 to 2002	435
13.2	Premarital Sex, 1972 to 2002	436
13.3	Homosexual Sex Relations, 1973 to 2002	437
13.4	Attitudes of People Aged 15 to 19 toward Sexual Activity, Childbearing, and Cohabitation, 2002	439
13.5	Attitudes of People Aged 15 to 19 toward Pregnancy, 2002	440
13.6	People Aged 15 to 19 Who Have Had Sexual Intercourse by Selected Characteristics, 2002	442
13.7	Sexual Behavior of 9th to 12th Graders by Sex, 2003	443
13.8	Contraceptive Use among People Aged 15 to 19, 2002	445
13.9	Reason People Aged 15 to 19 Have Never Had Sexual Intercourse, 2002	446
13.10	People Aged 18 or Older by Number of Sex Partners in Past Year, 1993 to 2002	448
13.11	Contraceptive Use by Type, 1982 and 2002	450
13.12	Contraceptive Use by Age, 2002	451
13.13	Contraceptive Use by Race and Hispanic Origin, 2002	452
13.14	Use of Family Planning Services by Selected Characteristics, 2002	453

Chapter 14. Weight and Exercise

14.1	Food and Beverage Consumption, 1990 and 2002	457
14.2	Self-Reported Weight Status of People Aged 18 or Older by Selected Characteristics, 2002	460
14.3	Average Measured Weight by Sex and Age, 1960–62 and 1999–02	462
14.4	Average Measured Weight by Sex, Age, Race, and Hispanic Origin, 1999–02	463
14.5	Adults Measured as Overweight and Obese by Sex and Age, 1960–62 and 1999–02	465
14.6	Adults Measured as Overweight and Obese by Sex and Age, 1999–02	466
14.7	Adults Measured as Overweight and Obese by Sex, Race, and Hispanic Origin, 1999–02	467
14.8	Children Measured as Overweight by Age, Sex, Race, and Hispanic Origin, 1999–02	469
14.9	Weight Problems and Dieting Behavior of 9th to 12th Graders by Sex, 2003	470
14.10	People Who Want to Lose Weight, 1954 to 2004	473
14.11	Weight Loss Behavior by Age, 2000	474
14.12	Participation in Leisure-Time Physical Activity, 2003	476
14.13	Frequency of Vigorous Physical Activity among People Aged 18 or Older, 2002	477
14.14	Sports Participation of People Aged 7 or Older, 1998 and 2003	479
14.15	Sports Participation of Children Aged 7 to 17, 1993 and 2003	480
14.16	Participation of Children Aged 9 to 13 in Physical Activities, 2002	482

List of Illustrations

Chapter 1. Addictions

Most teens have smoked by age 18	4
Health status determines smoking advice	9
Teens are more likely to think cigarette smoking is risky	11
Regular drinking rises with income	14
Many teens drink heavily	19
Psychotherapeutics are the second most commonly used illicit drug	22
Marijuana use is commonplace among teens and young adults	26
Twelfth graders are less likely to think drug use is risky	29
Few drug or alcohol abusers get help through residential programs	32

Chapter 2. Aging

People aged 35 to 50 account for the largest share of patients	38
Most caregivers are aged 35 to 64	41
Meals and housework help are provided to nearly all assisted-living facility residents	46
Most women in nursing homes are aged 85 or older	49

Chapter 3. Alternative Medicine

Many people turn to herbal remedies to solve their medical problems	54
Colds are commonly treated with alternative therapies	65

Chapter 4. Attitudes toward Health Care

The majority has “only some” confidence in the medical community	70
The middle aged are most likely to report poor mental health	74
Older Americans are least likely to experience problems paying for care	79
Older people are most satisfied with time provider spends with them	81
Younger adults are least likely to think health care providers listen carefully or show respect	86
Older Americans are most likely to give their health care provider the highest rating	93
Women are more likely to search for health information online	96
Seventy-six percent of working-age Americans have prescription drug coverage	99
The largest share give their health insurance plan a grade of B	102

Chapter 5. Births

Non-Hispanic white women are least likely to end a pregnancy through abortion	116
More than 80 percent support abortion if a woman’s health is in danger	119
Among women aged 25 to 29, the childless percentage has doubled since 1960	128
The birth rate is higher today than it was in 1997	132
Women giving birth are almost evenly split by education	135
Most babies are born to women in their twenties	137
Most births to women under age 25 are out-of-wedlock	140
More than 40 percent of births to women aged 40 or older are by Caesarean	142
Non-Hispanic white women are most likely to receive prenatal care during the first trimester	147

Chapter 6. Health Care Coverage and Cost

Only 30 percent of prescription drug expenses are paid for out-of-pocket	154
The ranks of the uninsured are growing	162
Fewer than half of Hispanics have employment-based coverage	166
Job loss is an important reason why people aged 18 to 64 are without health insurance	170
Fewer than half of workers in service occupations have access to employer-provided health insurance	176
Out-of-pocket health care spending surpasses \$3,000 a year in the 55-or-older age groups	180
Government insurance programs pay for one-third of health care expenses	189
People aged 18 to 44 are least likely to see a doctor	191
The uninsured pay only a fraction of their bills	193

People under age 65 are more likely to have insurance coverage for prescription drugs	197
Seventy-three percent of the cost of vision aids is paid for out-of-pocket	199
Children pay the least out-of-pocket for dental care	202
Nonphysician health care providers are not yet commonly used	205
Medicaid covers a growing share of people in every age group	211

Chapter 7. Deaths

Most hospice patients are elderly	216
In the 1970s, only 38 percent supported the “right to die”	220
Most deaths among non-Hispanic whites are due to cancer or heart disease	222
The majority of deaths occur among people aged 75 or older	229
Nearly half of deaths among 15-to-24-year-olds are due to accidents	232
Among people aged 45 to 64, accidents cause fewer than 10 percent of deaths	237
Cancer accounts for only 12 percent of deaths among people aged 85 or older	242
Life expectancy at birth reached 77.3 years in 2002	246

Chapter 8. Disability

Disability rises sharply with age	250
Physical difficulties are less common among the educated	252
Nearly half of the oldest adults are limited	258
Nearly one-quarter of people with household incomes below \$20,000 have a work limitation	262

Chapter 9. Diseases and Conditions

More than one-third of people aged 75 or older have heart disease	266
Women are more likely than men to have arthritis	270
Blacks are most likely to have problems with asthma	274
Emphysema becomes less likely as household income rises	278
Many health problems vary by educational attainment	282
Women are more likely than men to have hypertension	286
Older men and women have seen cholesterol levels decline	290
One in six Americans has diabetes	294
Among AIDS victims, blacks and non-Hispanic whites are nearly equal in number	297
American Indian children have a lower vaccination rate	300
Non-Hispanic white children are most likely to be taking a prescription medication	302
Half of older women took three or more prescription drugs in the past month	306
Heart problems are the most expensive health condition	309

Chapter 10. Health Care Visits

Ten percent of health care visits are to emergency rooms	322
More than one in four men has not visited a health care provider in the past year	326
One in ten children does not have health insurance	331
Trust is high on a number of issues	336
Older women visit doctors the most	339
Illnesses and injuries account for the largest share of doctor visits	342
Fewer than 10 percent of office visits involve blood tests	347
Few patients spend more than half an hour with the doctor	351
Registered nurses are seen on only 17 percent of doctor visits	354
Psychiatrists are most likely to prescribe drugs	356
People aged 65 or older account for 70 percent of patients	361
Fifteen percent of children without health insurance have an unmet dental need	363

Chapter 11. Hospital Care

The black rate is more than double the white rate	370
Acute problems account for fewer than one-third of visits by people aged 45 or older	373
The rate of emergency room visits is lowest among 45-to-64-year-olds	380
Many visits to emergency rooms are not for emergencies	383
Among older men and women, hospital stays are the same length	389
People aged 45 or older account for most hospital discharges	392
Hospital stays are getting shorter	397
Most hospital procedures are performed on people aged 45 or older	402

Chapter 12. Mental Health

Young adults are most likely to seek help for mental problems	410
Blacks are most likely to feel that “everything is an effort”	414
Many low-income people feel like “everything is an effort”	422
Hispanic girls are most likely to consider suicide	427
Women under age 50 are most likely to have serious mental problems	429

Chapter 13. Sexual Attitudes and Behavior

Many people think premarital sex is OK	434
Teens’ tolerance of premarital sex has limits	438
Most 11th and 12th graders have had sex	441
Many teens have unprotected sex	444
Fifteen percent have had two or more sex partners in past year	447
Condom use has increased the most	449

Chapter 14. Weight and Exercise

Americans are consuming more fruits and vegetables—and more sugar	456
Blacks and Hispanics are least likely to be at a healthy weight	459
The average man weighs almost 200 pounds	461
More than one-third of women are obese	464
Among boys, Hispanics are most likely to be overweight	468
Two-thirds of women want to lose weight	472
The majority of college graduates get enough exercise	475
Playing basketball fell 12 percentage points among teens	478
Cost is the number-one barrier to children’s participation	481