

Table of Contents

Introduction	1
Chapter 1. Addictions	
<i>Highlights</i>	3
Men Are More Likely than Women to Smoke	4
Health Professionals Are Advising Smokers to Quit	9
By 11th Grade, Most Teens Have Smoked a Cigarette	11
Drinking Varies by Demographics	14
Most High School Students Have Tried Alcohol	20
Marijuana Is the Most Commonly Used Illicit Drug	23
Thirty-Eight Percent of High School Students Have Smoked Pot	28
Teen Drug Use Fell in the Past Decade	31
Most Addicts Do Not Get the Treatment They Need	34
Chapter 2. Aging	
<i>Highlights</i>	37
With Age, Health Problems Grow	38
Most Older Americans Can Care for Themselves	41
Fewer People Are in Nursing Homes	45
Chapter 3. Alternative Medicine	
<i>Highlights</i>	49
Millions Turn to Alternative Medicine	50
Alternative Therapies Are Most Commonly Used for Back Problems	58
We Spend Billions on Alternative Medicine	61
Chapter 4. Attitudes toward Health Care	
<i>Highlights</i>	65
Fewer Americans Have Confidence in the Medical Community	66
Most People Say Their Health Is Very Good or Excellent	70
Inability to Pay for Health Care Is a Problem for Many	76
Many Patients Want More Time with Health Care Providers	80
Most Patients Say Providers Always Explain, Listen, and Show Respect	85
Fewer than Half Give Their Health Care Provider the Highest Rating	92
Chapter 5. Births	
<i>Highlights</i>	95
Only 65 Percent of Pregnancies Result in Live Births	96
Americans Support Abortion Rights	98
More Women Are Childless	101
The Birth Rate Has Risen Since 2000	104
Nearly 4 Million Women Gave Birth in 2006	106
More than One-Third of Newborns Are Hispanic or Black	108
Many Births Are to Unmarried Women	111
Forty Percent of Births Are First Births	114
Older Mothers Are More Likely to Have Caesareans	117
Hispanics Have Higher Fertility Rate	120
Breastfeeding Is Increasing	122

Chapter 6. Coverage and Cost

Highlights 125

Health Care Costs Have Grown Rapidly 126

Fewer Are Covered by Employment-Based Health Insurance 131

Hispanics Are Most Likely to Be Uninsured 135

Cost Is the Primary Reason for Being Uninsured 139

Most Children Are Insured through a Family Member’s Employment 143

Most Low-Income Workers Do Not Have Access to Employer-Provided Health Insurance 147

Health Care Spending Rises with Age 153

Sixteen Percent of Health Care Costs Are Paid for Out-of-Pocket 162

Insurance Covers Most of the Cost of Physician Visits 164

Insurance Payments Cover Nearly All Hospital Inpatient Expenses 166

Older Adults Are Most Likely to Buy Prescription Drugs 170

Eyeglasses and Contact Lenses Are Not Covered by Much Insurance 172

Nearly Half the Cost of Dental Visits Is Paid for Out-of-Pocket 175

Few Americans Visit Chiropractors 178

Medicaid Rolls Are Growing 182

Chapter 7. Deaths

Highlights 185

Hospice Care Is Expanding 186

Leading Causes of Death Differ by Sex, Race, and Hispanic Origin 188

Heart Disease Is the Leading Killer of the Oldest Adults 193

Accidents Are the Primary Cause of Death among Children 196

Accidental Deaths Become Less Common with Age 199

The Oldest Adults Die from a Wide Variety of Causes 202

Americans Are Living Longer 205

Chapter 8. Disability

Highlights 209

Most Older Americans Have a Disability 210

Many Have Difficulties in Physical Functioning 214

Nearly 11 Million Need Personal Assistance to Function 220

Many Children Have a Learning Disability 222

Chronic Health Conditions Often Limit Activities 225

Chapter 9. Diseases and Conditions

Highlights 229

Serious Diseases Are More Common among the Elderly 230

Biological Differences between Men and Women Are behind Disease Patterns 234

Prevalence of Many Diseases Is Highest among Non-Hispanic Whites and Blacks 238

Low Incomes Are Related to Health Problems 242

Higher Education Is Linked to Better Health 246

Hypertension Rate Has Risen 250

Prevalence of High Cholesterol Is Declining 253

Diabetes Is Increasingly Common 256

Many Americans Report Health Problems 259

Most Have Been Tested for Health Problems 264

AIDS Hits Minorities Hard 269

Flu Shots Have Become Increasingly Popular 272

Children’s Health Problems Vary by Age, Sex, and Race 274

Prescription Drug Use Is Increasing 278

Some Health Conditions Are More Costly than Others 281

Chapter 10. Health Care Visits

Highlights 287

Physician Visits Have Declined 288

Women Are More Likely than Men to Visit Health Care Providers 294

Teenagers Are Least Likely to Visit a Doctor Frequently 299

Women Seek Health Care More Often than Men	304
Preventive Care Visits Are Most Common among the Young	307
Most Doctor Visits include a Blood Pressure Reading	312
Most Doctor Visits Last Less than 15 Minutes	316
Most Patients Prefer to See a Doctor	319
Drugs Are Prescribed at Most Doctor Visits	321
Most People See a Dentist Regularly	327
Chapter 11. Hospital Care	
<i>Highlights</i>	333
Blacks Are Most Likely to Use Hospital Outpatient Services	334
Acute Health Problems Are the Most Common Reason for Visiting Hospital Outpatient Departments	337
Emergency Room Visits Rise Sharply in the Oldest Age Group	343
Emergency Room Visits by Older Adults Are Most Likely to Be Emergencies	346
Older Adults Are Far More Likely to Need Hospitalization	352
The Oldest Account for the Largest Share of Hospitalizations	355
Heart Disease Is Most Likely to Lead to Hospitalization	360
Hospitals Provide a Wide Variety of Services	365
Chapter 12. Mental Health	
<i>Highlights</i>	373
More than One in Four Adults Has a Diagnosable Mental Disorder	374
Women Are More Likely to Experience Mental Health Problems	379
Income Is Strongly Linked to Mental Health Problems	383
Many Teenagers Struggle with Mental Health Issues	386
Chapter 13. Sexual Attitudes and Behavior	
<i>Highlights</i>	389
Americans Have Increasingly Liberal Attitudes toward Sexual Behavior	390
Most Teenagers Think Anything Goes between Consenting Adults	394
Most Teenagers Have Sex before Reaching Age 18	397
Younger Teens Are Less Likely to Use Contraception	400
Nearly Everyone Has Had Sex by Age 22	403
Most Women Use Contraception	408
Chapter 14. Weight and Exercise	
<i>Highlights</i>	413
Shifts in Eating Habits Reflect Fads and Findings	414
Decades of Overeating Tip the Scales	418
Most Americans Are Overweight	421
Americans Are in Denial about Their Weight	424
Many Children Are Overweight	426
Most Want to Lose Weight	429
Americans Do Not Exercise Enough	431
Most High School Students Play Sports	434
Participation in Some Sports Is Declining	436
Glossary	440
Bibliography	448
Index	452

List of Tables

Chapter 1. Addictions

1.1	Cigarette Smoking Status of People Aged 18 or Older by Selected Characteristics, 2008	5
1.2	Percent Distribution of People Aged 18 or Older by Cigarette Smoking Status, 2008	6
1.3	Current Smokers by Selected Characteristics, 2008	7
1.4	Cigarette Smoking by People Aged 12 or Older, 2008	8
1.5	Advised to Quit Smoking during Routine Health Check-Up, 2007	10
1.6	Cigarette Use among 12-to-17-year-Olds, 1999–2004	12
1.7	Tobacco Use among 9th to 12th Graders, 2007	13
1.8	Attitudes of 8th, 10th, and 12th Graders toward Cigarette Smoking, 1999 and 2009	13
1.9	Alcohol Drinking Status of People Aged 18 or Older by Selected Characteristics, 2008	15
1.10	Percent Distribution of People Aged 18 or Older by Alcohol Drinking Status, 2008	16
1.11	Alcohol Use by Selected Characteristics, 2008	17
1.12	Alcohol Use by People Aged 12 or Older, 2008	18
1.13	Binge Drinking and Heavy Alcohol Use by People Aged 12 or Older, 2008	19
1.14	Alcohol Consumption among 12-to-17-Year-Olds, 1999–2004	21
1.15	Alcohol Use by 9th to 12th Graders, 2007	21
1.16	Attitudes of 8th, 10th, and 12th Graders toward Drinking, 1999 and 2009	22
1.17	Illicit Drug Use by People Aged 12 or Older, 2008	24
1.18	Lifetime Illicit Drug Use by Type of Drug and Age, 2008	25
1.19	Past Year Illicit Drug Use by Type of Drug and Age, 2008	26
1.20	Past Month Illicit Drug Use by Type of Drug and Age, 2008	27
1.21	Lifetime Marijuana Use by People Aged 12 to 25, 1965 to 2008	29
1.22	Marijuana Use by People Aged 12 or Older, 2008	29
1.23	Marijuana Use among 12-to-17-Year-Olds, 1999–2004	30
1.24	Marijuana Use by 9th to 12th Graders, 2007	30
1.25	Drug Use by 8th, 10th, and 12th Graders, 1999 and 2009	32
1.26	Attitudes of 12th Graders toward Drug Use, 1999 and 2009	33
1.27	Treatment for Drug or Alcohol Problems in Past Year, 2008	35

Chapter 2. Aging

2.1	Healthy Behavior of Adults Aged 55 or Older by Age, 2004–07	39
2.2	Difficulties in Physical and Social Functioning among Adults Aged 55 or Older by Age, 2004–07	39
2.3	Health Care Access among Adults Aged 55 or Older by Age, 2004–07	40
2.4	Difficulty Performing Activities of Daily Living among Medicare Beneficiaries, 2006	42
2.5	People Aged 65 or Older Who Need Help Performing Activities of Daily Living, 2008	42
2.6	Difficulty Performing Instrumental Activities of Daily Living among Medicare Beneficiaries, 2006	43
2.7	Incontinence among Medicare Beneficiaries, 2006	44
2.8	Number of Nursing Home Residents and Rate of Nursing Home Care, 1977 to 2004	46
2.9	Nursing Home Residents Aged 65 or Older by Sex, Race, and Hispanic Origin, 2004	47
2.10	Nursing Home Residents by Marital Status and Prior Living Arrangement, 2004	48

Chapter 3. Alternative Medicine

3.1	Users of Alternative and Complementary Medicine by Type and Age, 2007	51
3.2	Users of Alternative and Complementary Medicine by Age, 2007	52
3.3	Users of Alternative and Complementary Medicine by Sex, 2007	52
3.4	Users of Alternative and Complementary Medicine by Race and Hispanic Origin, 2007	53
3.5	Users of Alternative and Complementary Medicine by Region, 2007	53
3.6	Users of Alternative and Complementary Medicine by Education, 2007	54
3.7	Users of Alternative and Complementary Medicine by Health Insurance Status, 2007	54
3.8	Users of Alternative and Complementary Medicine by Drinking Status, 2007	55
3.9	Users of Alternative and Complementary Medicine by Smoking Status, 2007	55
3.10	Users of Alternative and Complementary Medicine by Number of Doctor Visits, 2007	56
3.11	Users of Alternative and Complementary Medicine Use by Number of Health Conditions, 2007	56
3.12	Characteristics of Children Who Use Complementary and Alternative Medicine, 2007	57
3.13	Alternative Medicine Use among Adults by Disease or Condition, 2007	59
3.14	Alternative Medicine Use among Children by Disease or Condition, 2007	59
3.15	Adult Use of Nonvitamin, Nonmineral Natural Products by Type, 2007	60
3.16	Children's Use of Nonvitamin, Nonmineral Natural Products by Type, 2007	60

3.17	Total Visits and Out-of-Pocket Costs for Visits to Alternative and Complementary Medicine Practitioners by Type, 2007	62
3.18	Per-Person Visits and Out-of-Pocket Costs of Visits to Alternative and Complementary Medicine Practitioners by Type, 2007	63
3.19	Cost of Alternative and Complementary Medicine Materials and Therapy, 2007	64

Chapter 4. Attitudes toward Health Care

4.1	Confidence in Medicine, 1978 to 2008	67
4.2	Spending on Improving the Nation's Health, 1978 to 2008	68
4.3	Government Should Help Pay for Medical Care, 1988 and 2008	69
4.4	Health Status by Selected Characteristics, 2008	71
4.5	Health Status of Children by Selected Characteristics, 2008	72
4.6	Health Status, 1995 to 2008	73
4.7	Days of Poor Physical Health in Past Month, 1995 to 2008	73
4.8	Frequent Poor Physical Health in Past Month, 1995 to 2008	74
4.9	Days of Activity Limitation in Past Month, 1995 to 2008	74
4.10	Frequent Activity Limitation Days in Past Month, 1995 to 2008	75
4.11	People with Problems Receiving Medical Care by Reason, 2007	77
4.12	People with Problems Receiving Prescriptions by Reason, 2007	78
4.13	People with Problems Receiving Dental Care by Reason, 2007	79
4.14	Attitude toward Scheduling Routine Health Care Appointments among Adults, 2007	81
4.15	Attitude toward Scheduling Routine Health Care Appointments for Children, 2007	82
4.16	Health Care Provider Spent Enough Time with Adult Patient, 2007	83
4.17	Health Care Provider Spent Enough Time with Children and Their Parents, 2007	84
4.18	Health Care Provider Explained Things Clearly to Adult Patient, 2007	86
4.19	Health Care Provider Explained Things Clearly to Parents of Patients under Age 18, 2007	87
4.20	Health Care Provider Listened Carefully to Adult Patient, 2007	88
4.21	Health Care Provider Listened Carefully to Parents of Patients under Age 18, 2007	89
4.22	Health Care Provider Showed Respect for What Adult Patient Had to Say, 2007	90
4.23	Health Care Provider Showed Respect for What Parents of Patients under Age 18 Had to Say, 2007	91
4.24	Adult Patients' Rating of Health Care Received from Doctor's Office or Clinic, 2007	93
4.25	Parents' Rating of Health Care Received by Children at Doctor's Office or Clinic, 2007	94

Chapter 5. Births

5.1	Pregnancy Outcomes by Age, 2005	97
5.2	Pregnancy Outcomes by Race and Hispanic Origin, 2005	97
5.3	Abortions by Selected Characteristics, 1995 to 2005	99
5.4	Support for Legal Abortion by Reason, 1972 to 2008	100
5.5	Childless Women by Age, 1990 to 2006	102
5.6	Number of Children Ever Born to Women Aged 40 to 44, 1976 to 2006	102
5.7	Number of Children Ever Born to Women by Age, 2006	103
5.8	Birth Rates by Age, 1990 to 2008	105
5.9	Average Age of Women When Giving Birth by Race and Hispanic Origin, 1990 and 2006	105
5.10	Characteristics of Women Aged 15 to 44 Giving Birth in the Past Year, 2006	107
5.11	Births by Age, Race, and Hispanic Origin, 2008	109
5.12	Births to Hispanics by Age and Hispanic Origin, 2006	110
5.13	Births to Unmarried Women by Age, 2008	112
5.14	Births to Unmarried Women by Race and Hispanic Origin, 2006	112
5.15	Women Who Have Ever Had a Nonmarital Birth, 2002	113
5.16	Births by Age of Mother and Birth Order, 2008	115
5.17	Births by Race, Hispanic Origin, and Birth Order, 2008	116
5.18	Births by Age and Method of Delivery, 2006	118
5.19	Births by Age and Plurality, 2006	119
5.20	Births by Selected Characteristics, Race, and Hispanic Origin, 2006	121
5.21	Births to Hispanics by Selected Characteristics and Hispanic Origin, 2006	121
5.22	Breastfeeding Trends, 2000 to 2006	123

Chapter 6. Coverage and Cost

6.1	National Health Care Expenditures, 1960 to 2007	127
6.2	National Health Care Expenditures by Type of Expenditure, 1960 and 2007	127
6.3	Personal Health Care Expenditures, 1960 to 2007	128

6.4	Out-of-Pocket Payments for Personal Health Care Expenditures, 1960 to 2007	128
6.5	Consumer Price Index for Health Care by Type of Product or Service, 2008	129
6.6	Health Care Spending by Country, 2006	130
6.7	Health Insurance Coverage by Type, 1990 to 2008	132
6.8	Employment-Based Private Health Insurance by Age, 2000 and 2008	133
6.9	People without Health Insurance by Age, 2000 and 2008	134
6.10	Health Insurance Coverage by Age, 2008	136
6.11	Health Insurance Coverage by Sex, 2008	137
6.12	Health Insurance Coverage by Race and Hispanic Origin, 2008	138
6.13	Number Who Lack Health Insurance Coverage by Selected Characteristics and Reason, 2008	140
6.14	Percent Who Lack Health Insurance Coverage by Reason, 2008	141
6.15	Percent Who Lack Health Insurance Coverage by Selected Characteristics, 2008	142
6.16	Children by Health Insurance Coverage Status, 2008	144
6.17	Percent Distribution of Children by Health Insurance Coverage Status, 2008	145
6.18	Children without Health Insurance, 2008	146
6.19	Health Care Benefits 2009: Medical Benefits	148
6.20	Health Care Benefits 2009: Outpatient Prescription Drug Coverage	149
6.21	Health Care Benefits 2009: Dental Insurance	150
6.22	Health Care Benefits 2009: Vision Benefits	151
6.23	Employee Contributions for Employer-Provided Health Care Coverage, 2009	152
6.24	Out-of-Pocket Spending on Health Care, 2008: Average Household Spending by Age of Householder	154
6.25	Out-of-Pocket Spending on Health Care, 2008: Indexed Household Spending by Age of Householder	156
6.26	Out-of-Pocket Spending on Health Care, 2008: Total Spending by Age of Householder	158
6.27	Out-of-Pocket Spending on Health Care, 2008: Market Shares by Age of Householder	160
6.28	Total Spending on All Health Services by Selected Characteristics, 2007	163
6.29	Spending on Physician Visits by Selected Characteristics, 2007	165
6.30	Spending on Hospital Inpatient Services by Selected Characteristics, 2007	167
6.31	Spending on Hospital Outpatient Services by Selected Characteristics, 2007	168
6.32	Spending on Emergency Room Services by Selected Characteristics, 2007	169
6.33	Spending on Prescription Drugs by Selected Characteristics, 2007	171
6.34	Spending on Optometrist Office Visits by Selected Characteristics, 2007	173
6.35	Spending on Vision Aids by Selected Characteristics, 2007	174
6.36	Spending on Visits to General Dentists by Selected Characteristics, 2007	176
6.37	Spending on Orthodontic Office Visits by Selected Characteristics, 2007	177
6.38	Spending on Visits to Nurses or Nurse Practitioners by Selected Characteristics, 2007	179
6.39	Spending on Chiropractic Office Visits by Selected Characteristics, 2007	180
6.40	Spending on Home Health Care Services by Selected Characteristics, 2007	181
6.41	Medicaid Coverage by Selected Characteristics, 2000 and 2008	183
6.42	Medicare Enrollees by Selected Characteristics, 2007	184

Chapter 7. Deaths

7.1	Home Health and Hospice Care Agencies, Patients, and Discharges, 2000 and 2007	187
7.2	Leading Causes of Death, 2006	189
7.3	Leading Causes of Death among Females, 2006	190
7.4	Leading Causes of Death among Males, 2006	190
7.5	Leading Causes of Death among Asians, 2006	191
7.6	Leading Causes of Death among Blacks, 2006	191
7.7	Leading Causes of Death among Hispanics, 2006	192
7.8	Leading Causes of Death among Non-Hispanic Whites, 2006	192
7.9	Number of Deaths from the 15 Leading Causes of Death, 2006: Number of Deaths	194
7.10	Number of Deaths from the 15 Leading Causes of Death, 2006: Distribution by Age	194
7.11	Number of Deaths from the 15 Leading Causes of Death, 2006: Distribution by Cause	195
7.12	Leading Causes of Death for Infants, 2006	197
7.13	Leading Causes of Death for Children Aged 1 to 4, 2006	197
7.14	Leading Causes of Death for Children Aged 5 to 14, 2006	198
7.15	Leading Causes of Death for People Aged 15 to 24, 2006	198
7.16	Leading Causes of Death for People Aged 25 to 34, 2006	200
7.17	Leading Causes of Death for People Aged 35 to 44, 2006	200
7.18	Leading Causes of Death for People Aged 45 to 54, 2006	201

7.19	Leading Causes of Death for People Aged 55 to 64, 2006	201
7.20	Leading Causes of Death for People Aged 65 or Older, 2006	203
7.21	Leading Causes of Death for People Aged 65 to 74, 2006	203
7.22	Leading Causes of Death for People Aged 75 to 84, 2006	204
7.23	Leading Causes of Death for People Aged 85 or Older, 2006	204
7.24	Life Expectancy by Age, 1950 to 2007	206
7.25	Life Expectancy by Age and Sex, 2007	207
7.26	Life Expectancy by Sex, Age, and Race, 2007	208

Chapter 8. Disability

8.1	Disability Status of People Aged 15 or Older, 2005	211
8.2	Disability Status of Children under Age 15, 2005	213
8.3	Difficulties in Physical Functioning among Adults by Age, 2008	215
8.4	Difficulties in Physical Functioning among Adults by Sex, 2008	216
8.5	Difficulties in Physical Functioning among Adults by Race and Hispanic Origin, 2008	217
8.6	Difficulties in Physical Functioning among Adults by Household Income, 2008	218
8.7	Difficulties in Physical Functioning among Adults by Educational Attainment, 2008	219
8.8	Need for Assistance, 2005	221
8.9	Children with a Learning Disability or Attention Deficit Hyperactivity Disorder, 2008	223
8.10	Children Receiving Special Education or Early Intervention Services by Selected Characteristics, 2008	224
8.11	Limitations in Usual Activities due to Health Problems by Selected Characteristics, 2008	226
8.12	Limitations in Work Activity due to Health Problems by Selected Characteristics, 2008	227

Chapter 9. Diseases and Conditions

9.1	Number of Health Conditions among Adults by Age, 2008	231
9.2	Percent Distribution of Health Conditions among Adults by Age, 2008	232
9.3	Percent of Adults with Health Conditions by Age, 2008	233
9.4	Number of Health Conditions among Adults by Sex, 2008	235
9.5	Percent Distribution of Health Conditions among Adults by Sex, 2008	236
9.6	Percent of Adults with Health Conditions by Sex, 2008	237
9.7	Number of Health Conditions among Adults by Race and Hispanic Origin, 2008	239
9.8	Percent Distribution of Health Conditions among Adults by Race and Hispanic Origin, 2008	240
9.9	Percent of Adults with Health Conditions by Race and Hispanic Origin, 2008	241
9.10	Number of Health Conditions among Adults by Household Income, 2008	243
9.11	Percent Distribution of Health Conditions among Adults by Household Income, 2008	244
9.12	Percent of Adults with Health Conditions by Household Income, 2008	245
9.13	Number of Health Conditions among Adults by Education, 2008	247
9.14	Percent Distribution of Health Conditions among Adults by Education, 2008	248
9.15	Percent of Adults with Health Conditions by Education, 2008	249
9.16	Hypertension by Sex and Age, 1988–94 and 2003–06	251
9.17	Hypertension by Race, Hispanic Origin, and Sex, 1988–94 and 2003–06	251
9.18	People with High Blood Pressure by Selected Characteristics, 2007	252
9.19	High Cholesterol by Sex and Age, 1988–94 and 2003–06	254
9.20	High Cholesterol by Race, Hispanic Origin, and Sex, 1988–94 and 2003–06	254
9.21	Cholesterol Status by Selected Characteristics, 2007	255
9.22	Diabetes by Selected Characteristics, 1988–94 and 2003–06	257
9.23	People with Diabetes by Selected Characteristics, 2008	258
9.24	People with Asthma by Selected Characteristics, 2008	260
9.25	People with Arthritis by Selected Characteristics, 2008	261
9.26	People with Heart Disease by Selected Characteristics, 2008	262
9.27	Cancer Survival Rates, 1975–77 and 1999–2005	263
9.28	People Aged 50 or Older Who Have Ever Had a Colonoscopy by Selected Characteristics, 2008	265
9.29	Men Who Have Had Prostate Cancer Screening by Selected Characteristics, 2008	266
9.30	Women Who Have Had a Pap Test by Selected Characteristics, 2008	267
9.31	Women Who Have Had a Mammogram by Selected Characteristics, 2008	268
9.32	Cumulative AIDS Cases by Age, Sex, Race, and Hispanic Origin, through 2007	270
9.33	Cumulative AIDS Cases by Sex and Transmission Category, through 2007	271
9.34	Influenza Vaccination among Adults by Age, 1989 to 2007	273
9.35	Health Conditions among Children by Selected Characteristics, 2008	275
9.36	Distribution of Health Conditions by Selected Characteristics of Children, 2008	276

9.37	Percent of Children with Health Conditions by Selected Characteristics, 2008	277
9.38	Prescription Drug Use by Sex and Age, 1988–94 and 2003–06	279
9.39	Prescription Drug Use by Race, Hispanic Origin, and Age, 1988–94 and 2003–06	280
9.40	Number of Health Events by Condition and Type of Service, 2007	282
9.41	Number of People Experiencing Health Events by Condition and Type of Service, 2007	283
9.42	Cost of Health Events by Condition and Type of Service, 2007	284
9.43	Average Expense Per Health Event, by Condition and Type of Service, 2007	285
9.44	Average Expense Per Person Experiencing Health Event, by Condition and Type of Service, 2007	286

Chapter 10. Health Care Visits

10.1	Health Care Visits, 1996 to 2006	289
10.2	Delayed Medical Care, 1997 and 2007	290
10.3	Did Not Get Prescriptions, 1997 and 2007	291
10.4	Health Care Visits by Age, 2006	292
10.5	Health Care Visits by Race and Hispanic Origin, 2006	292
10.6	Health Care Visits by Sex, 2006	293
10.7	Number of Office Visits to Health Care Professionals by Selected Characteristics, 2008	295
10.8	Percent Distribution of Office Visits to Health Care Professionals by Selected Characteristics, 2008	296
10.9	Length of Time since Last Office Visit to a Health Care Professional by Selected Characteristics, 2008	297
10.10	Percent Distribution by Length of Time since Last Office Visit to a Health Care Professional, 2008	298
10.11	Problems with Health Care Access for Children by Selected Characteristics, 2008	300
10.12	Percent of Children with Problems Accessing Health Care, 2008	301
10.13	Length of Time since Child’s Last Office Visit to a Health Care Professional by Selected Characteristics, 2008	302
10.14	Percent Distribution of Children by Length of Time Since Child’s Last Office Visit to a Health Care Professional, 2008	303
10.15	Physician Office Visits by Sex and Age, 2006	305
10.16	Physician Office Visits by Race, Hispanic Origin, and Age, 2006	306
10.17	Physician Office Visits for Preventive Care, 2006	308
10.18	Physician Office Visits by Major Reason for Visit, 2006	309
10.19	Physician Office Visits by Detailed Reason for Visit, 2006	310
10.20	Physician Office Visits by Major Disease Category and Primary Diagnosis Group, 2006	311
10.21	Physician Office Visits by Services Provided, 2006	313
10.22	Blood Pressure Measurements by Selected Characteristics, 2006	314
10.23	Physician Office Visits by Education Services and Nonmedication Treatments Ordered or Provided, 2006	315
10.24	Physician Office Visits by Time Spent with Physician, 2006	317
10.25	Physician Office Visits by Continuity of Care, 2006	318
10.26	Physician Office Visits by Providers Seen, 2006	320
10.27	Physician Office Visits by Drug Therapy and Physician Specialty, 2006	322
10.28	Number of Unique Prescriptions and Refills Purchased by Selected Characteristics, 2006	323
10.29	Medications Most Frequently Prescribed during Physician Office Visits by Therapeutic Class, 2006	324
10.30	Twenty-Five Drug Brands on Which Households Spend the Most, 2007	325
10.31	Ten Drug Brands Prescribed the Most by Number of Purchases, 2007	326
10.32	Length of Time since Last Dental Visit by Selected Characteristics, 2008	328
10.33	Percent Distribution by Length of Time since Last Dental Visit by Selected Characteristics, 2008	329
10.34	Dental Care Access and Length of Time since Last Dental Visit among Children, 2008	330
10.35	Percent Distribution of Children by Dental Care Access and Length of Time since Last Dental Visit, 2008	331

Chapter 11. Hospital Care

11.1	Hospital Outpatient Department Visits by Sex and Age, 2006	335
11.2	Hospital Outpatient Department Visits by Race, Hispanic Origin, and Age, 2006	336
11.3	Hospital Outpatient Department Visits by Major Reason for Visit, 2006	338
11.4	Visits to Hospital Outpatient Departments by Detailed Reason for Visit, 2006	339
11.5	Hospital Outpatient Department Visits by Primary Diagnosis, 2006	340
11.6	Hospital Outpatient Department Visits by Provider Seen, 2006	340
11.7	Hospital Outpatient Department Visits by Services Ordered or Provided, 2006	341

11.8	Hospital Outpatient Department Visits by Therapeutic Services Ordered or Provided, 2006	342
11.9	Hospital Emergency Department Visits by Sex and Age, 2006	344
11.10	Hospital Emergency Department Visits by Race and Age, 2006	345
11.11	Emergency Department Visits by Selected Characteristics and Urgency of Problem, 2006	347
11.12	Hospital Emergency Department Visits by Reason for Visit, 2006	348
11.13	Hospital Emergency Department Visits by Primary Diagnosis, 2006	349
11.14	Hospital Emergency Department Visits by Provider Seen, 2006	350
11.15	Visits to Hospital Emergency Departments by Diagnostic and Screening Services Ordered or Provided, 2006	351
11.16	Overnight Hospital Stays by Selected Characteristics, 2008	353
11.17	Hospital Discharges and Length of Stay, 2006	354
11.18	Number of Hospital Discharges by Diagnosis and Age, 2006	356
11.19	Percent Distribution of Hospital Discharges by Diagnosis and Age, 2006	358
11.20	Number and Rate of Discharges from Hospitals by Diagnosis, 2006	361
11.21	Length of Hospital Stay by Diagnosis, 1980 and 2006	363
11.22	Number of Hospital Discharges by Procedure and Age, 2006	366
11.23	Percent Distribution of Hospital Discharges by Procedure and Age, 2006	368
11.24	Discharges from Hospitals by Procedure, 2006	370

Chapter 12. Mental Health

12.1	Prevalence of Mental Disorders, 2008	375
12.2	Mental Health Status in Past Month, 1995 to 2008	376
12.3	Frequent Mental Stress in Past Month, 1995 to 2008	376
12.4	Americans with a History of Depression by Selected Characteristics, 2009	377
12.5	Americans Who Have Looked Online for Mental Health Information, by Selected Characteristics, 2008	378
12.6	Mental Health Conditions among Adults by Age, 2008	380
12.7	Mental Health Conditions among Adults by Sex, 2008	381
12.8	Mental Health Conditions among Adults by Race and Hispanic Origin, 2008	382
12.9	Mental Health Conditions among Adults by Household Income, 2008	384
12.10	Mental Health Conditions among Adults by Education, 2008	385
12.11	High School Students Who Felt Sad or Hopeless, 2007	387
12.12	Suicidal Ideation among High School Students, 2007	388

Chapter 13. Sexual Attitudes and Behavior

13.1	Sex Education in Public Schools, 1974 to 2008	391
13.2	Premarital Sex, 1972 to 2008	392
13.3	Homosexual Relations, 1973 to 2008	393
13.4	Attitude of Teenagers toward Sexual Activity, Childbearing, and Cohabitation, 2002	395
13.5	Attitude of Boys Aged 15 to 19 toward Pregnancy, 2002	396
13.6	Attitude of Girls Aged 15 to 19 toward Pregnancy, 2002	396
13.7	Sexual Intercourse Experience of Boys Aged 15 to 19, 1988 and 2002	398
13.8	Sexual Intercourse Experience of Girls Aged 15 to 19, 1988 and 2002	398
13.9	Sexual Behavior of 9th to 12th Graders by Sex, 2007	399
13.10	Contraceptive Use among People Aged 15 to 19, 2002	401
13.11	Reason People Aged 15 to 19 Have Never Had Sexual Intercourse, 2002	402
13.12	Men Ever Having Had Sexual Intercourse by Age and Marital Status, 2002	404
13.13	Women Ever Having Had Sexual Intercourse by Age and Marital Status, 2002	404
13.14	People Aged 18 or Older by Number of Sex Partners in Past Year, 1988 to 2008	405
13.15	Relationship between Men Aged 15 to 44 and Last Sexual Partner, 2002	406
13.16	Relationship between Women Aged 15 to 44 and First Male Sexual Partner, 2002	407
13.17	Current Contraceptive Use Status of Women, 1982 and 2002	409
13.18	Current Method of Contraception among Women by Age, 2002	410
13.19	Current Method of Contraception among Women by Marital Status, 2002	410
13.20	Current Method of Contraception among Women by Race and Hispanic Origin, 2002	411
13.21	Current Method of Contraception among Women by Education, 2002	411
13.22	Use of Family Planning Services by Selected Characteristics, 2002	412

Chapter 14. Weight and Exercise

14.1	Food and Beverage Consumption, 2000 and 2007	415
14.2	Average Measured Weight by Sex and Age, 1976–80 and 2003–06	419

14.3	Average Measured Weight by Race, Hispanic Origin, Age, and Sex, 2003–06	420
14.4	Caloric Intake by Sex and Age, 1976–80 and 2003–06	420
14.5	Adults Measured as Having a Healthy Weight by Sex and Age, 1976–80 and 2003–06	422
14.6	Adults Measured as Overweight by Sex and Age, 1976–80 and 2003–06	422
14.7	Adults Measured as Obese by Sex and Age, 1976–80 and 2003–06	423
14.8	Self-Reported Weight Status of People Aged 18 or Older by Selected Characteristics, 2008	425
14.9	Children Measured as Overweight by Sex, Race, Hispanic Origin, and Age, 2003–06	427
14.10	Weight Problems and Dieting Behavior of 9th to 12th Graders by Sex, 2007	428
14.11	People Who Want to Lose Weight, 1951 to 2009	430
14.12	Self-Reported and Ideal Weight by Sex, 1990 to 2009	430
14.13	Physical Activity Status of People Aged 18 or Older, 2008	432
14.14	Frequency of Vigorous Physical Activity among People Aged 18 or Older, 2008	433
14.15	Participation of High School Students in Physical Education Classes, Team Sports, and Physical Activity, 2007	435
14.16	Sports Participation of People Aged 7 or Older, 1998 and 2008	437
14.17	Sports Participation of Children Aged 7 to 17, 1998 and 2007	438

List of Illustrations

Chapter 1. Addictions

Most teens have smoked cigarettes by age 18	4
Health status determines smoking advice	9
Nearly half of 10th graders have tried a cigarette	11
Regular drinking rises with education	14
Many teens drink heavily	20
Psychotherapeutics are the second most commonly used illicit drug	23
Marijuana use is commonplace among teens and young adults	28
Fewer 12th graders think regular marijuana use is risky	31
Hispanics are least likely to get help	34

Chapter 2. Aging

Most people aged 65 or older received a flu shot in the past year	38
Incontinence is a growing problem with age	41
The number of nursing home residents peaked in 1999	45

Chapter 3. Alternative Medicine

Educated people are most likely to turn to alternative medicine	50
Arthritis is one of the top five reasons why people turn to alternative therapies	58
Americans spent \$34 billion on alternative medicine practitioners and products	61

Chapter 4. Attitudes toward Health Care

Most think government should be responsible for health care	66
The middle aged report more days of poor physical health	70
Older Americans are least likely to experience problems getting needed medical care	76
Older people are most satisfied with the time their provider spends with them	80
Younger adults are least likely to think health care providers listen carefully or show respect	85
Medicare recipients are most satisfied with their health care	92

Chapter 5. Births

Non-Hispanic white women are least likely to end a pregnancy through abortion	96
Nearly 90 percent support abortion if a woman's health is in danger	98
Women are having fewer children	101
The birth rate is higher today than in 2000	104
Ten percent of women aged 25 to 29 gave birth in 2006	106
Most babies are born to women in their twenties	108
Most births to women under age 25 are out-of-wedlock	111
Most births are second or higher order	114
More than 40 percent of births to women aged 40 or older are by Caesarean	117
Asian mothers are least likely to have been born in the United States	120
Breastfeeding is more likely for babies born to married mothers	122

Chapter 6. Coverage and Cost

Only 25 percent of prescription drug expenses are paid for out-of-pocket	126
The ranks of the uninsured are growing	131
Fewer than half of Hispanics have employment-based coverage	135
More than half of the uninsured in the South say cost is the reason	139
Only 7 percent of non-Hispanic white children are without health insurance	143
Fewer than half of workers in the bottom wage quartile have access to employer-provided health insurance	147
Out-of-pocket health care spending exceeds \$4,000 a year among householders aged 65 or older	153
Government insurance programs pay for nearly one-third of health care expenses	162
People aged 18 to 44 are least likely to see a doctor	164
The uninsured pay little out-of-pocket for hospital care	166

Medicare covers one-quarter of the nation's spending on prescription drugs	170
Seventy-one percent of the cost of glasses and contact lenses is paid for out-of-pocket	172
Children pay the least out-of-pocket for dental care	175
The elderly with Medicare and other public insurance are most likely to have had a home health care expense in 2007	178
Women outnumber men among Medicare enrollees	182

Chapter 7. Deaths

More than one million are in hospice care	186
Half of males and nearly half of females die of heart disease or cancer	188
The majority of deaths occur among people aged 75 or older	193
Nearly half of deaths among 15-to-24-year-olds are due to accidents	196
Few deaths in the 55-to-64 age group are caused by accidents	199
Cancer accounts for only 12 percent of deaths to people aged 85 or older	202
Life expectancy at birth reached 77.9 years in 2007	205

Chapter 8. Disability

Among people aged 65 or older, the disabled slightly outnumber those without a disability	210
Physical difficulties are less common among the educated	214
Most of those who need personal assistance get help from relatives	220
Receipt of special education services varies by race and Hispanic origin	222
Limitations are greater for those with less education	225

Chapter 9. Diseases and Conditions

More than one-third of people aged 75 or older have heart disease	230
Women are more likely than men to have arthritis	234
Blacks and Hispanics are most likely to have diabetes	238
People with lower incomes are more likely to have had a heart attack	242
Many health problems vary by educational attainment	246
Women are slightly more likely than men to have hypertension	250
Older men and women have seen cholesterol levels decline	253
Nearly one in five older Americans has diabetes	256
Arthritis increases with age	259
Medical tests are popular	264
Hispanics account for a small share of AIDS cases	269
The percentage of people aged 65 or older who get a flu shot has more than doubled	272
Non-Hispanic white children are most likely to be taking prescription medication	274
Most Americans aged 65 or older take multiple prescription medications	278
Cancer is the most expensive health condition	281

Chapter 10. Health Care Visits

Physician visits have declined recently as people tighten their belts	288
Many men did not go to the doctor in 2008	294
Hispanic children are least likely to have health insurance	299
Older men and women visit doctors the most	304
New health problems—such as colds, flu, and injuries—account for the largest share of doctor visits	307
Only 7 percent of physician office visits include a cholesterol test	312
Few patients spend more than half an hour with the doctor	316
Nurses are seen on only 24 percent of doctor visits	319
Cardiovascular physicians are most likely to prescribe drugs	321
More than one in four children without health insurance has an unmet dental need	327

Chapter 11. Hospital Care

The black rate is more than double the white rate	334
Nearly half of children visiting hospital outpatient departments are there for acute health problems	337
Emergency room visit rates are lowest among 45-to-64-year-olds	343
Many visits to emergency rooms are not for emergencies	346
Among older men and women, hospital stays are about the same length	352

People aged 45 or older account for most hospital discharges	355
Hospital stays have gotten shorter	360
More than one-third of procedures are performed on people aged 65 or older	365

Chapter 12. Mental Health

Mental health is getting worse among the middle aged	374
Blacks are most likely to feel like everything is an effort	379
Many low-income people feel like everything is an effort	383
Hispanic girls are most likely to seriously consider suicide	386

Chapter 13. Sexual Attitudes and Behavior

Many people think premarital sex is OK	390
Teens' tolerance of premarital sex has limits	394
Today's teens are less likely than teens in 1988 to have had sex	397
Many teens have unprotected sex	400
Women no longer wait for marriage	403
Educational attainment influences birth control choices	408

Chapter 14. Weight and Exercise

Carbonated beverages are more popular than any other	414
The average woman weighs more than 160 pounds	418
Fewer women are at a healthy weight	421
Fantasy versus reality	424
Among teen boys, Hispanics are most likely to be overweight	426
Women would have to lose 16 pounds to be at their ideal weight	429
The majority of college graduates participate in vigorous activity at least once a week	431
Boys are more likely than girls to play sports	434
Fewer children are playing basketball	436